

315



Passion and commitment serving the needs of industry and the environment



With the PowerBox<sup>TM</sup> 315, Mobiltech Power Systems provides even more power with a higher-performance engine housed in a limited space. Users can take advantage of energy-saving technology while accomplishing more. The PowerBox315 is versatile. Its electrogen group operates without using the carrier vehicle's engine.



## TECHNICAL SPECIFICATIONS

oline EFI-W/C or sel
00 RPM or 8600 RPM
20 VAC, 60 Hz, 1 phase /220 VAC, 60 Hz, 1 phase
corcomp screw r
A or 220 A
00 CCA
240 Amp Hour AGM – energy power
kW or 1.8 to 3.0 kW
-2000 and PB-3000
th fan or Miller with fan
iel or standard diesel
lirect current,
with hydraulic
27 and 62 gallons d 234 litres)
to 70 CFM capacity
s



- - Limited space
  - Fuel economy
  - Reduction of greenhouse gases
  - Prevention of premature wear of carrier engine
  - Quick installation
  - Competitive price

## Our service offer

- Full conceptualization
- · Workshop assembly and production
- Partial or full machining services
- Technical support offered day and night
- Field service



## Our customers

- Municipalities
- Industrial mechanics companies
- Construction companies
- Maritime transportation companies
- Mining companies
- · Railway maintenance companies

Mobiltech-designed Systems can be adapted to any situation. For small and large projects alike, the versatility of the PowerBox™ makes it an invaluable ally. Passion and commitment serving the needs of industry and the environment

www.mobiltech.ca



