

MERCEDES-BENZ  
**SPRINTER**



**UPFIT**  
GUIDE

**RANGER**  
DESIGN

# Helping Mobile Technicians Work More Effectively by Providing Organized Storage Solutions

## At Ranger Design, we believe more is possible.

We believe work vehicles and the technicians that drive them can become more organized, more efficient, more productive and more profitable. At Ranger Design we're committed to bringing you the products and services that make that possible.

More means helping you choose the right work van for your

application, as well as giving you engineering support and expert advice to help design the most efficient work space in your new vehicle.

More also means getting that new van outfitted and on the road faster, so you can start using it for the reason you bought it.

We're committed to bringing you more, because we believe more is possible.



**MORE IS POSSIBLE**





## TABLE OF CONTENTS

CHOOSE YOUR PRODUCT LINE . . . . .	P. 4
PLAN YOUR VAN OUTFIT . . . . .	P. 6
GETTING STARTED . . . . .	P. 8
PARTITIONS . . . . .	P. 10
PACKAGES . . . . .	P. 16
SHELVING . . . . .	P. 34
DRAWERS . . . . .	P. 46
ACCESSORIES . . . . .	P. 51
LADDER RACKS . . . . .	P. 55
HOW TO BUY . . . . .	P. 60
INDEX . . . . .	P. 62

# Choose A Product Line To Match Your Needs

Ranger Fleetline and Proline product groups ensure that fleets of any size have the best equipment to fit their budget, trade or fuel saving targets.



Ranger Fleetline shown



Ranger Proline shown

	MATERIAL	BENEFITS	PRODUCTS	WARRANTY
<b>WHY BUY RANGER FLEETLINE?</b> You want better quality and price than other steel products on the market.	Steel	Tough Low cost Quiet	Shelving, Partitions, Drawers, Accessories	3 years*
<b>WHY BUY RANGER PROLINE?</b> You want the toughest, quietest product on the market. You need to optimize payload without sacrificing quality.	Aluminum	Toughest Lightweight Quiet	Shelving, Partitions, Drawers, Accessories, Ladder Racks	10 years*


\*Ranger Design Inc. van equipment is warranted to be free from defects in material and workmanship under normal use and service for the period indicated, from the date of the original retail purchase, when installed per Ranger Design instructions in the original vehicle. Please contact Customer Service for full warranty details. Email: [cs@rangerdesign.com](mailto:cs@rangerdesign.com)

Throughout the catalog **FLEETLINE** products are depicted with yellow and **PROLINE** products with black.



**1-800-565-5321**  
7 A.M. – 8 P.M. EST

# World Class Customer Service



## Real people, ready to answer in 2 rings or less\*

We are pleased to offer efficient, personalized service and to answer all questions regarding:

- › Pricing/Quoting
- › Product install
- › Order status
- › Consultation
- › Shipment status
- › New product availability
- › Product specifications
- › Warranty claims
- › Returns/Restocking
- › Vehicle specifications

\*Call customer service and the phone will be answered in 2 rings or less. Yes, a real, live person working in one of our offices in North America is available to answer your questions. No automated attendant. No complicated phone tree and offshore service. Call us to experience the difference.

# PLAN YOUR VAN OUTFIT

## INSIDE ROOF HEIGHT

To determine the maximum shelf height that can be used in the van.

## PARTITION DEPTH

This indicates the space taken up by our partition for this vehicle. Please note that this measurement is determined by the partition that encroaches the most. Some partitions may take up less space. Take note that this measurement may not necessarily be on the floor.

## DOOR OPENING


To determine where shelving will land in relation to the door opening. Use this measurement to determine the space available for drawer units.

## DIMENSIONS IN RED

These dimensions indicate unique measurements for each wheelbase. Use red dimensions to determine the exact wheelbase of your van.

## FLOOR SPACE

This area is usable floor space but due to curvature of the van there may not be the same available area at the roof. Please measure actual van for specific measurement at roof.




## MERCEDES-BENZ SPRINTER

Regular 144" Wheelbase








## MERCEDES-BENZ SPRINTER

Long 170" Wheelbase



## MERCEDES-BENZ SPRINTER

Extended 170" Wheelbase



# Take a few minutes to write down these simple steps

## Plan your storage zones

For how long do you plan to use the vehicle? ☐ A year ☐ 2–5 years ☐ 10 years or more (see page 4)

Will payload capacity be an issue? ☐ Yes ☐ No Why? \_\_\_\_\_

What type of industry are you in? \_\_\_\_\_

## What kind of partition do I need?

Do I need to see my cargo or see out the side doors? ☐ Yes ☐ No

Do I need the ability to go from the cabin to the cargo area through the partition? ☐ Yes ☐ No

## List the equipment/products you will need to store

Place the items that you need most often in the most accessible locations.

	Daily	Weekly	Monthly	Zone
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A - B - C - D - E
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Will I need to carry larger objects ☐ Yes ☐ No Dimensions: \_\_\_\_\_

## List the tools you will need to carry


Place heavy tools closest to the access doors.

	Daily	Weekly	Monthly	Zone
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A - B - C - D - E
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

What kind of ladder(s) will I be carrying? Step ladder Size \_\_\_\_\_ Extension ladders Size \_\_\_\_\_



# Storage Zones





## **SAFETY PARTITIONS**

Crash tested safety partitions protect the most important asset: you





#### SAFE

Designed for maximum impact resistance.  
Proven by crash test.



#### EFFICIENT

1. Contoured to maintain seat travel and ensure driver comfort. 2. Contoured to capitalize on cargo area floor space.



#### QUIET

Thickness of material cancels vibrations.

## SAFETY PARTITIONS

STRAIGHT WALK THROUGH PARTITION . . . . . P. 12

CONTOURED SAFETY PARTITION . . . . . P. 13

CONTOURED SAFETY PARTITION  
WITH TEMPERED WINDOW . . . . . P. 13

SINGLE SIDE STRAIGHT PARTITION . . . . . P. 14

STRAIGHT WALK THROUGH PARTITION WITH  
TEMPERED GLASS WINDOW, SWING DOOR . . . . . P. 14

Ranger safety partitions provide a solid and secure barrier between the occupants of the van and the cargo.

Built from heavy gauge steel and aluminum, they are designed for maximum impact resistance and uphold a standard of safety set only by Ranger products.

Ranger partitions also provide a more comfortable environment for the driver by giving more seat travel and by not rattling as the vehicle drives down the road.



# SAFETY PARTITIONS

PARTITIONS



## C20-DL

Straight Partition with Perforated Window, No Access

Steel	
Low Roof	
80 lbs	
1 hr	
Yes	



## C20-DH

Straight Partition with Perforated Window, No Access

Steel	
High Roof	
89 lbs	
1 hr	
Yes	



## C24-DL

Straight Walk Through Partition

Steel	
Low Roof	
61 lbs	
1 hr	
No	



## C24-DH

Straight Walk Through Partition

Steel	
High Roof	
66 lbs	
1 hr	
No	



## C30-DL

Straight Partition with Perforated Window, Swing Door


Steel	
Low Roof	
83 lbs	
1 hr	
No	



## C30-DH

Straight Partition with Perforated Window, Swing Door

Steel	
High Roof	
92 lbs	
1 hr	
No	



3010-DL

Contoured Safety Partition

Aluminum	
Low Roof	
57 lbs	
1.2 hrs	
No	



3010-DH

Contoured Safety Partition

Aluminum	
High Roof	
59 lbs	
1.2 hrs	
No	



3015-DH

Mid Position Straight Safety Partition

Aluminum	
High Roof	
59 lbs	
1.2 hrs	
No	



3020-DL

Contoured Safety Partition with Tempered Glass Window

Aluminum	
Low Roof	
64 lbs	
1.2 hrs	
No	



3020-DH

Contoured Safety Partition with Tempered Glass Window

Aluminum	
High Roof	
66 lbs	
1.2 hrs	
No	



3025-DH

Mid Position Straight Safety Partition with Tempered Glass Window

Aluminum	
High Roof	
66 lbs	
1.2 hrs	
No	



# SAFETY PARTITIONS



## 3060-DL

Single Side Straight Partition

### Aluminum

Low Roof

29 lbs

0.7 hr

No



## 3060-DH

Single Side Straight Partition

### Aluminum

High Roof

30 lbs

0.7 hr

No



## 3064-DL

Straight Walk Through Partition

### Aluminum

Low Roof

40 lbs

1 hr

No



## 3064-DH

Straight Walk Through Partition

### Aluminum

High Roof

42 lbs

1 hr

No



## 3068-DL

Straight Partition with Tempered Glass Window, Sliding Door

### Aluminum

Low Roof

78 lbs

1.5 hrs

No



## 3068-DH

Straight Partition with Tempered Glass Window, Sliding Door

### Aluminum

High Roof

80 lbs





1.5 hrs

Yes



3069-DL





Straight Partition with Tempered Glass Window, Swing Door

Aluminum	
 Low Roof	
 73 lbs	
 1.5 hrs	
 Yes	



3069-DH

Straight Partition with Tempered Glass Window, Swing Door

Aluminum	
 High Roof	
 76 lbs	
 1.5 hrs	
 Yes	



3068-DH Straight partition with tempered glass window, sliding door.



# TRADE PACKAGES

Pre-engineered packages  
for a broad range of trades.





### CHOICE

A range of Fleetline and Proline packages are available for each vehicle.



### TRADE SPECIFIC

Packages are created with the specific trades in mind. Optimized for maximum productivity.



### PERFECT FIT

Engineered to optimize space. Layout designed to ensure that all tools are well within reach.

## TRADE PACKAGES

CONTRACTOR . . . . .	P. 18
ELECTRICAL/TELECOM . . . . .	P. 20
HVAC . . . . .	P. 22
SERVICE . . . . .	P. 24
DELIVERY . . . . .	P. 30
PLUMBER . . . . .	P. 32


Get more out of your work van: Ranger packages are designed specifically with your trade in mind. Our aim is to ensure that your most frequently used tools and equipment are well within reach.

Do you see a way that we can improve our packages? We appreciate your feedback! Contact our customer service team at **1-800-565-5321**.








# CONTRACTOR PACKAGES

PACKAGES




## G210 Contractor Package

Aluminum

 144"	 Low/High Roof	 212 lbs
 3.2 hrs	 No	

Qty	Part #	Description
1	4184-4	Countoured Shelf Unit
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7948	Countoured Bin Unit




## G710 Contractor Package

Aluminum






 170", 170" Ext	 High Roof	 300 lbs
 4.6 hrs	 No	

Qty	Part #	Description
2	4184-4	Countoured Shelf Unit
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7948	Countoured Bin Unit




**Z10-G2**  
Contractor Package

**Steel**



 144"	 Low/High Roof	 207 lbs
 2.4 hrs	 No	

Qty	Part #	Description
1	F87-X	Square Back Shelving Unit
1	L42-X	Square Back Open Shelf Unit
2	Y30-C	Coat Hook



**Z10-G7**  
Contractor Package

**Steel**

 170", 170" Ext	 High Roof	 332 lbs
 3.4 hrs	 No	

Qty	Part #	Description
2	F87-X	Square Back Shelving Unit
1	L42-X	Square Back Open Shelf Unit
2	Y30-C	Coat Hook





Efficient layout lets you find everything quickly and easily.

\*Preproduction model shown, do not use as an installation guide.



#### **EFFICIENT**

Ergonomic design reduces injuries and increases productivity.



#### **QUIET**


The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.



#### **TOUGH**

Extrusion builds durability into shelf.






# ELECTRICAL/TELECOM PACKAGES




## G211

### Electrical/Telecom Package

#### Aluminum

 144"	 Low/High Roof	 379 lbs
 8.1 hrs	 No	





Qty	Part #	Description
1	4184-4	Countoured Shelf Unit
1	5010	Partslider 48" Deep
1	5020	Tool Drawers
1	5048	Top Edge
4	5070	Partskeeper
1	6070	Fixed Hook
1	6072	Swivel Hook
2	6073	Large Removable Hook
1	7108	Bookshelf
2	7124	Reel Holder
1	7731	Shelving Locker 39.875" W x 12.063" H
1	7948	Countoured Bin Unit



## G711

### Electrical/Telecom Package

#### Aluminum

 170", 170" Ext	 High Roof	 467 lbs
 9.5 hrs	 No	

Qty	Part #	Description
2	4184-4	Countoured Shelf Unit
1	5010	Partslider 48" Deep
1	5020	Tool Drawer
1	5048	Top Edge
4	5070	Partskeeper
1	6070	Fixed Hook
1	6072	Swivel Hook
2	6073	Large Removable Hook
1	7108	Bookshelf
2	7124	Reel Holder
1	7731	Shelving Locker 39.875" W x 12.063" H
1	7948	Countoured Bin Unit

#### LEGEND

 Wheelbase  Roof Height  Weight  Install Time  Quickship



Efficient layout lets you find everything quickly and easily.

## G212

### HVAC Package



#### QUIET

The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.



#### EFFICIENT


Ergonomic design reduces injuries and increases productivity.



#### TOUGH

Extrusion builds durability into shelf.






## G212 HVAC Package

Aluminum

144"	Low/High Roof	400 lbs
8 hrs	No	

Qty	Part #	Description
1	4184-4	Countoured Shelf Unit
2	5010	Partslider 48" Deep
1	5025	Jumbo Tool Drawer
1	5048	Top Edge
2	5070	Partskeeper
1	6003	5 Tier Freon Rack - Small & Large Bottles
2	6070	Fixed Hook
1	6072	Swivel Hook
1	6086	Small Bottle Holder
1	6088	Large Bottle Holder
1	7731	Shelving Locker 39.875" W x 12.063" H
1	7948	Countoured Bin Unit



## G712 HVAC Package

Aluminum

170", 170" Ext	High Roof	488 lbs
9.4 hrs	No	

Qty	Part #	Description
2	4184-4	Countoured Shelf Unit
2	5010	Partslider 48" Deep
1	5025	Jumbo Tool Drawer
1	5048	Top Edge
2	5070	Partskeeper
1	6003	5 Tier Freon Rack - Small & Large Bottles
1	6070	Fixed Hook
1	6072	Swivel Hook
1	6086	Small Bottle Holder
1	6088	Large Bottle Holder
1	7731	Shelving Locker 39.875" W x 12.063" H
1	7948	Countoured Bin Unit

Efficient layout lets you find everything quickly and easily.

## G216 Service Package

\*Preproduction model shown, do not use as an installation guide.



### QUIET

The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.




### EFFICIENT

Ergonomic design reduces injuries and increases productivity.



### TOUGH

Extrusion builds durability into shelf.



## G216

### Service Package

#### Aluminum

144"


Low/High Roof

250 lbs

5.2 hrs

No

Qty	Part #	Description
1	4184-4	Countoured Shelf Unit
2	5070	Partskeeper
1	6070	Fixed Hook
1	7108	Bookshelf
1	7111	Locker Unit
1	7211	Workbench
1	7731	Aluminum Locking Door



## G716

### Service Package

#### Aluminum

170", 170" Ext

High Roof

338 lbs

6.6 hrs

No

Qty	Part #	Description
2	4184-4	Countoured Shelf Unit
2	5070	Partskeeper
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7108	Bookshelf
1	7111	Locker Unit
1	7211	Workbench
1	7731	Shelving Locker 39.875" W x 12.063" H

#### LEGEND



Wheelbase



Roof Height



Weight



Install Time



Quickship





Efficient layout lets you find everything quickly and easily.

## G217 Service Package

\*Preproduction model shown, do not use as an installation guide.



### QUIET

The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.



### EFFICIENT


Ergonomic design reduces injuries and increases productivity.



### TOUGH

Extrusion builds durability into shelf.






## G217 Service Package

### Aluminum

144"	Low/High Roof	518 lbs
8 hrs	No	

Qty	Part #	Description
1	4148-4	Countoured Shelf Unit
1	5066-8	8 Drawer Cabinet
2	5069-2	2 Drawer Cabinet
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7111	Locker Unit
1	7211	Workbench
2	7730	Aluminum Locking Door
1	7936	Countoured Bin Unit



## G717 Service Package


### Aluminum

170", 170" Ext	High Roof	837 lbs
10.5 hrs	No	

Qty	Part #	Description
1	4148-4	Countoured Shelf Unit
1	5060-5	5 Drawers + 1 Door Cabinet
2	5066-8	8 Drawer Cabinet
2	5069-2	2 Drawer Cabinet
3	6070	Fixed Hook
1	6072	Swivel Hook
1	7111	Locker Unit
1	7208	Workbench
1	7211	Workbench
2	7730	Aluminum Locking Door
1	7936	Countoured Bin Unit



\*Preproduction model shown, do not use as an installation guide.



## Z16-G2

Service Package

**Steel**

144"


4.5 hrs

Low/High Roof

No

295 lbs

Qty	Part #	Description
2	5070	Partskeeper
1	6072	Swivel Hook
1	L42-X	Square Back Shelving Unit
1	F87-X	Square Back Shelving Unit
1	X50-B	Fleetline 2 Drawer Unit
2	Y10-F	Y Series Locking Doors
2	Y30-C	Coat Hook
7	6221	Medium Bin - Black
20	6231	Large Bin



## Z16-G7

Service Package

**Steel**

170", 170" Ext

5.5 hrs

High Roof

No

420 lbs

Qty	Part #	Description
2	5070	Partskeeper
1	6072	Swivel Hook
2	F87-X	Square Back Shelving Unit
1	L42-X	Square Back Open Shelf Unit
1	X50-B	Fleetline 2 Drawer Unit
2	Y10-F	Y Series Locking Doors
2	Y30-C	Coat Hook
7	6221	Medium Bin - Black
20	6231	Large Bin



Efficient layout lets you find everything quickly and easily.

# G719

## Delivery Package



### QUIET

The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.



### EFFICIENT


Ergonomic design reduces injuries and increases productivity.



### TOUGH

Extrusion builds durability into shelf.






## G219

Delivery Package

**Aluminum**

144"	Low/High Roof	181 lbs
3.9 hrs	No	

Qty	Part #	Description
2	84-2148	Shelf - Fold-Away Shelving Unit - 21" x 48"
4	84-2158	Shelf - Fold-Away Shelving Unit - 21" x 58"
1	84-3051	Mounting Bar - 51"Lg For Fold-Away Shelving Unit: 48"W
2	84-3061	Mounting Bar - 61"Lg For Fold-Away Shelving Unit: 58"W
5	84-7063	Post Assembly - Two Fold-Away Aluminum W/ Steel Foot, 63 1/2"H



## G719

Delivery Package

**Aluminum**

170", 170" Ext	High Roof	221 lbs
4.2 hrs	No	

Qty	Part #	Description
6	84-1872	Shelf - Fold-Away Shelving Unit - 18" x 72"
3	84-2172	Shelf - Fold-Away Shelving Unit - 21" x 72"
3	84-3075	Mounting Bar - 75"Lg For Fold-Away Shelving Unit: 72"W
5	84-7063	Post Assembly - Two Fold-Away Aluminum W/ Steel Foot, 63 1/2"H

Efficient layout lets you find everything quickly and easily.

## G215

### Plumber Package



#### QUIET

The combination of the extrusion shelf tray and end-panels create durable, vibration-free shelves.




#### EFFICIENT

Ergonomic design reduces injuries and increases productivity.



#### TOUGH

Extrusion builds durability into shelf.




**G215**  
Plumber Package  
**Aluminum**

144"	Low/High Roof	269 lbs
4.2 hrs	No	

Qty	Part #	Description
1	4184-4	Countoured Shelf Unit
1	5086	Partskeeper Cabinet With 8 Carry Cases & 2 Shelves
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7948	Countoured Bin Unit

PACKAGES



**G715**  
Plumber Package  
**Aluminum**

170", 170" Ext	High Roof	357 lbs
5.6 hrs	No	

Qty	Part #	Description
2	4184-4	Countoured Shelf Unit
1	5086	Partskeeper Cabinet With 8 Carry Cases & 2 Shelves
1	6070	Fixed Hook
1	6072	Swivel Hook
1	7948	Countoured Bin Unit






# SHELVING

Industry leading strength.  
The perfect fit for the toughest jobs.






#### **TOUGH**

Extrusion builds durability into shelf.



#### **QUIET**

Shelf tray and end panel are engineered to be vibration free.



#### **EFFICIENT**

Ergonomics reduce injuries and increase productivity.

## **SHELVING**

### **CONTOURED UNITS**

CONTOURED BIN SHELVING UNIT . . . . . P. **36**

CONTOURED REFRIGERANT BIN UNIT . . . . . P. **36**

CONTOURED SHELVING UNIT W/ DIVIDERS . . . . . P. **37**

### **DEEP SQUARE BACK UNITS**

DEEP SQ. BACK BIN SHELVING UNIT . . . . . P. **40**

DEEP SQ. BACK SHELVING UNIT . . . . . P. **40**

DEEP SQ. BACK SHELVING UNIT W/ DIVIDERS . . . . . P. **41**

**FOLD-AWAY SHELVING** . . . . . P. **41**

### **SQUARE BACK UNITS**

SQUARE BACK BIN SHELVING UNIT . . . . . P. **42**

SQUARE BACK SHELVING UNIT . . . . . P. **42**

SQUARE BACK SHELVING UNIT W/ DIVIDERS . . . . . P. **43**

BOOKSHELF . . . . . P. **43**

LOCKER . . . . . P. **44**

WORKBENCH . . . . . P. **44**

**DOORS** . . . . . P. **45**

Ranger Design shelving is built strong and durable, often outlasts the vehicle and can be transferred to a newer van or truck. Designed to fit with maximum efficiency, Ranger shelving optimizes the space in a work van's cargo area.



# SHELVING

## Contoured Bin Shelving Unit

### Aluminum



Sprinter  
Low Roof



Sprinter  
High Roof



<b>7936</b>	15.5" D x 36" W x 62.5" H	99 lbs			18 (sm), 18 (md), 8 (lrg)	1.4 hrs	No
<b>7948</b>	15.5" D x 48" W x 62.5" H	123 lbs			24 (sm), 24 (md), 12 (lrg)	1.4 hrs	No
<b>7960</b>	15.5" D x 60" W x 62.5" H	143 lbs			30 (sm), 30 (md), 14 (lrg)	1.4 hrs	Yes



## Contoured Bin Shelving Unit

### Aluminum



Sprinter  
High Roof



<b>8936-7</b>	15.5" D x 36" W x 72" H	100 lbs			18 (sm), 18 (md), 8 (lrg)	1.4 hrs	No
<b>8948-7</b>	15.5" D x 48" W x 72" H	124 lbs			24 (sm), 24 (md), 12 (lrg)	1.4 hrs	No
<b>8960-7</b>	15.5" D x 60" W x 72" H	144 lbs			30 (sm), 30 (md), 14 (lrg)	1.4 hrs	No



## Contoured Bin Shelving Unit


### Aluminum



Sprinter  
High Roof



<b>8936-8</b>	15.5" D x 36" W x 72" H	112 lbs			18 (sm), 18 (md), 12 (lrg)	1.4 hrs	No
<b>8948-8</b>	15.5" D x 48" W x 72" H	140 lbs			24 (sm), 24 (md), 18 (lrg)	1.4 hrs	No
<b>8960-8</b>	15.5" D x 60" W x 72" H	164 lbs			30 (sm), 30 (md), 21 (lrg)	1.4 hrs	No



## Contoured Refrigerant Bin Unit

### Aluminum



Sprinter  
Low Roof



Sprinter  
High Roof



<b>5748</b>	16" D x 48" W x 62.5" H	106 lbs			24 (sm), 24 (md)	1.2 hrs	No
<b>5760</b>	16" D x 60" W x 62.5" H	120 lbs			30 (sm), 30 (md)	1.2 hrs	No



## Contoured Refrigerant Bin Unit

## Aluminum

Sprinter  
High Roof

<b>8748</b>	15.5" D x 48" W x 72" H	107 lbs			24 (sm), 24 (md)	1.4 hrs	No
<b>8760</b>	15.5" D x 60" W x 72" H	121 lbs			30 (sm), 30 (md)	1.4 hrs	No




## Contoured Shelving Unit with Dividers

## Aluminum

Sprinter  
Low RoofSprinter  
High Roof

<b>4136-4</b>	16" D x 36" W x 62.5" H	46 lbs	4 Shelves (10", 11", 13", 13")	24	7733	1.2 hrs	No
<b>4148-4</b>	16" D x 48" W x 62.5" H	56 lbs	4 Shelves (10", 11", 13", 13")	24	7730	1.2 hrs	No
<b>4160-4</b>	16" D x 60" W x 62.5" H	66 lbs	4 Shelves (10", 11", 13", 13")	32	7732	1.2 hrs	No



## Contoured Shelving Unit with Dividers

## Aluminum

Sprinter  
Low RoofSprinter  
High Roof

<b>4136-5</b>	16" D x 36" W x 62.5" H	53 lbs	5 Shelves (10", 11", 13", 13", 13")	30	7728	1.2 hrs	No
<b>4148-5</b>	16" D x 48" W x 62.5" H	65 lbs	5 Shelves (10", 11", 13", 13", 13")	30	7725	1.2 hrs	No
<b>4160-5</b>	16" D x 60" W x 62.5" H	78 lbs	5 Shelves (10", 11", 13", 13", 13")	40	7727	1.2 hrs	Yes



## Contoured Shelving Unit with Dividers

## Aluminum

Sprinter  
Low RoofSprinter  
High Roof

<b>4172-4</b>	16" D x 72" W x 62.5" H	76 lbs	4 Shelves (10", 11", 13", 13")	40	7733	1.4 hrs	No
<b>4184-4</b>	16" D x 84" W x 62.5" H	88 lbs	4 Shelves (10", 11", 13", 13")	40	N/A	1.4 hrs	No
<b>4196-4</b>	16" D x 96" W x 62.5" H	98 lbs	4 Shelves (10", 11", 13", 13")	48	7730	1.4 hrs	No





# SHELVING

## Contoured Shelving Unit with Dividers

### Aluminum



Sprinter  
Low Roof



Sprinter  
High Roof



<b>4172-5</b>	16" D x 72" W x 62.5" H	90 lbs	5 Shelves (10", 11", 13", 13", 13")	50	7728	1.4 hrs	No
<b>4184-5</b>	16" D x 84" W x 62.5" H	102 lbs	5 Shelves (10", 11", 13", 13", 13")	50	N/A	1.4 hrs	Yes
<b>4196-5</b>	16" D x 96" W x 62.5" H	118 lbs	5 Shelves (10", 11", 13", 13", 13")	60	7725	1.4 hrs	No



## Contoured Shelving Unit with Dividers

### Aluminum



Sprinter  
High Roof



<b>8848-5</b>	15.5" D x 48" W x 72" H	66 lbs	5 Shelves (8", 11", 12", 13", 13")	30	7725	1.3 hrs	No
<b>8860-5</b>	15.5" D x 60" W x 72" H	79 lbs	5 Shelves (8", 11", 12", 13", 13")	40	7727 or 7732	1.3 hrs	No



## Contoured Shelving Unit with Dividers

### Aluminum



Sprinter  
High Roof



<b>8848-6</b>	15.5" D x 48" W x 72" H	75 lbs	6 Shelves (8", 11", 12", 13", 13", 13")	36	7720	1.3 hrs	No
<b>8860-6</b>	15.5" D x 60" W x 72" H	91 lbs	6 Shelves (8", 11", 12", 13", 13", 13")	48	7722	1.3 hrs	No



## Contoured Shelving Unit with Dividers

### Aluminum



Sprinter  
High Roof



<b>8872-5</b>	15.5" D x 72" W x 72" H	91 lbs	5 Shelves (8", 11", 12", 13", 13")	40	7728	1.3 hrs	No
<b>8884-5</b>	15.5" D x 84" W x 72" H	103 lbs	5 Shelves (8", 11", 12", 13", 13")	50	N/A	1.3 hrs	No
<b>8896-5</b>	15.5" D x 96" W x 72" H	119 lbs	5 Shelves (8", 11", 12", 13", 13")	60	7725	1.3 hrs	No



# FULLY OPTIMIZE SPACE IN YOUR HIGH ROOF VAN

## RANGER DESIGN Tall shelving

- Contoured to fit tightly to the wall of the vehicle to maximize aisle space

84 series p.**43**  
87 series p.**37**  
88 series p.**38**  
89 series p.**36**


## COMPETITOR Shelving

- Shorter
- Not fitted to the wall of the vehicle, reducing aisle space

## RANGER DESIGN Regular shelving

- Contoured to fit tightly to the wall of the vehicle to maximize aisle space

F series p.**41**  
41 series p.**37**  
57 series p.**36**  
79 series p.**36**  
84-2 series p.**41**



# SHELVING

## Contoured Shelving Unit with Dividers

### Aluminum



Sprinter  
High Roof



<b>8872-6</b>	15.5" D x 72" W x 72" H	105 lbs	6 Shelves (8", 11", 12", 13", 13", 13")	48	7723	1.3 hrs	No
<b>8884-6</b>	15.5" D x 84" W x 72" H	117 lbs	6 Shelves (8", 11", 12", 13", 13", 13")	60	N/A	1.3 hrs	No
<b>8896-6</b>	15.5" D x 96" W x 72" H	139 lbs	6 Shelves (8", 11", 12", 13", 13", 13")	72	7720	1.3 hrs	No



## Deep Square Back Bin Shelving Unit

### Steel




Sprinter  
Low Roof



Sprinter  
High Roof



<b>H38-T</b>	17.5" D x 38" W x 58" H	93 lbs			Y11-D	1 hr	No
<b>H42-T</b>	17.5" D x 42" W x 58" H	100 lbs			Y11-F	1 hr	No
<b>H56-T</b>	17.5" D x 56" W x 58" H	120 lbs			Y11-J	1 hr	No
<b>H70-T</b>	17.5" D x 70" W x 58" H	140 lbs			Y11-C	1 hr	No



## Deep Square Back Bin Shelving Unit

### Steel



Sprinter  
Low Roof



Sprinter  
High Roof



<b>H87-T</b>	17.5" D x 87" W x 58" H	165 lbs			Y11-F	1 hr	No
--------------	-------------------------	---------	--	--	-------	------	----



## Deep Square Back Shelving Unit

### Steel




Sprinter  
Low Roof



Sprinter  
High Roof












<b>L38-T</b>	17.5" D x 38" W x 58" H	88 lbs			Y10-D	1 hr	No
<b>L42-T</b>	17.5" D x 42" W x 58" H	93 lbs			Y10-F	1 hr	No
<b>L56-T</b>	17.5" D x 56" W x 58" H	112 lbs			Y10-B	1 hr	No
<b>L70-T</b>	17.5" D x 70" W x 58" H	130 lbs			Y10-C	1 hr	No





## Deep Square Back Shelving Unit










## Steel


								
Sprinter Low Roof	Sprinter High Roof							
<b>L87-T</b>	17.5" D x 87" W x 58" H	154 lbs				Y10-F	1 hr	No



## Deep Square Back Shelving Unit with Dividers










## Steel

								
Sprinter Low Roof	Sprinter High Roof							
<b>F38-T</b>	17.5" D x 38" W x 58" H	80 lbs				Y11-D	1 hr	No
<b>F42-T</b>	17.5" D x 42" W x 58" H	85 lbs				Y11-F	1 hr	No
<b>F56-T</b>	17.5" D x 56" W x 58" H	101 lbs				Y11-J	1 hr	No
<b>F70-T</b>	17.5" D x 70" W x 58" H	115 lbs				Y11-C	1 hr	No



## Deep Square Back Shelving Unit with Dividers










## Steel

								
Sprinter Low Roof	Sprinter High Roof							
<b>F87-T</b>	17.5" D x 87" W x 58" H	136 lbs				Y11-F	1 hr	No



## Fold-Away Shelving

## Aluminum

								
Sprinter Low Roof	Sprinter High Roof							
<b>8436-2</b>	21" D x 43" W x 63.5" H	42 lbs	2 Shelves (20", 20")				1.2 hrs	No
<b>8448-2</b>	21" D x 55" W x 63.5" H	58 lbs	2 Shelves (20", 20")				1.2 hrs	Yes
<b>8458-2</b>	21" D x 65" W x 63.5" H	64 lbs	2 Shelves (20", 20")				1.3 hrs	Yes
<b>8472-2</b>	21" D x 79" W x 63.5" H	74 lbs	2 Shelves (20", 20")				1.4 hrs	Yes

\*Weight capacity for fold-away shelving is 65 lbs / linear foot.



## LEGEND



Dimensions



Weight



Shelf opening



Dividers



Bins



Install Time



Quickship

# SHELVING

## Fold-Away Shelving

### Aluminum



Sprinter  
High Roof



<b>8448-3</b>	21" D x 55" W x 72" H	74 lbs	3 Shelves (17", 20", 20")			1.6 hrs	No
<b>8458-3</b>	21" D x 65" W x 72" H	83 lbs	3 Shelves (17", 17", 20")			1.7 hrs	No
<b>8472-3</b>	21" D x 79" W x 72" H	98 lbs	3 Shelves (17", 17", 20")			1.8 hrs	Yes

\*Weight capacity for fold-away shelving is 65 lbs / linear foot.



## Square Back Bin Shelving Unit

### Steel



Sprinter  
Low Roof



Sprinter  
High Roof



<b>H38-X</b>	14" D x 38" W x 58" H	80 lbs	4 Shelves (9", 13", 13", 13")	9	6	1 hr	No
<b>H42-X</b>	14" D x 42" W x 58" H	86 lbs	4 Shelves (9", 13", 13", 13")	9	7	1 hr	No
<b>H56-X</b>	14" D x 56" W x 58" H	103 lbs	4 Shelves (9", 13", 13", 13")	12	9	1 hr	No
<b>H70-X</b>	14" D x 70" W x 58" H	120 lbs	4 Shelves (9", 13", 13", 13")	12	11	1 hr	No



## Square Back Bin Shelving Unit

### Steel



Sprinter  
Low Roof



Sprinter  
High Roof



<b>H87-X</b>	14" D x 87" W x 58" H	145 lbs	4 Shelves (9", 13", 13", 13")	18	14	1 hr	No
--------------	-----------------------	---------	-------------------------------	----	----	------	----



## Square Back Shelving Unit

### Steel



Sprinter  
Low Roof



Sprinter  
High Roof










<b>L38-X</b>	14" D x 38" W x 58" H	78 lbs	5 Shelves (11", 13", 13", 13", 13")			1 hr	Yes
<b>L42-X</b>	14" D x 42" W x 58" H	82 lbs	5 Shelves (9", 13", 13", 13", 13")			1 hr	Yes
<b>L56-X</b>	14" D x 56" W x 58" H	99 lbs	5 Shelves (9", 13", 13", 13", 13")			1 hr	Yes
<b>L70-X</b>	14" D x 70" W x 58" H	115 lbs	5 Shelves (9", 13", 13", 13", 13")			1 hr	No



## Square Back Shelving Unit










### Steel


								
<b>L87-X</b>		14" D x 87" W x 58" H	141 lbs	5 Shelves (9", 13", 13", 13", 13")			1 hr	No



## Square Back Shelving Unit with Dividers










### Steel

								
<b>F38-X</b>		14" D x 38" W x 58" H	70 lbs	4 Shelves (9", 13", 13", 13")	9	Y12-D	1 hr	No
<b>F42-X</b>		14" D x 42" W x 58" H	74 lbs	4 Shelves (9", 13", 13", 13")	9	Y12-F	1 hr	Yes
<b>F56-X</b>		14" D x 56" W x 58" H	88 lbs	4 Shelves (9", 13", 13", 13")	12	Y12-J	1 hr	Yes
<b>F70-X</b>		14" D x 70" W x 58" H	102 lbs	4 Shelves (9", 13", 13", 13")	12	Y12-C	1 hr	Yes



## Square Back Shelving Unit with Dividers










### Steel

								
<b>F87-X</b>		14" D x 87" W x 58" H	125 lbs	4 Shelves (9", 13", 13", 13")	18	Y12-F	1 hr	Yes



## Bookshelf

### Aluminum

								
<b>7108</b>		14" D x 9" W x 62.5" H	30 lbs				0.5 hr	No





# SHELVING

**7111**

Contoured locker w/top shelf

**Aluminum**



Sprinter



16" D x 14" W x 62.5" H



35 lbs



1 hr



No

**7210**

Workbench w/hardwood top, 1 shelf w/door

**Aluminum**

UNIVERSAL



18" D x 48" W x 36" H



75 lbs



1.2 hrs



No

**7208**

Workbench w/hardwood top, one end panel  
(Drawer cabinet not included)

**Aluminum**

UNIVERSAL



18" D x 48" W x 36" H



47 lbs



0.5 hr



No

**7211**

Workbench w/hardwood top, 2 bin shelves

**Aluminum**

UNIVERSAL



18" D x 48" W x 36" H



75 lbs



1 hr



No

**7209**

Workbench w/hardwood top, 1 shelf

**Aluminum**

UNIVERSAL



18" D x 48" W x 36" H



65 lbs



1 hr



Yes



**7208** Workbench with hardwood top mounted with a **5060-5** 5 Drawer cabinet





Shelving Doors

Aluminum					
		Use with shelf width			
<b>7720</b>	44.88" W x 8.69" H	48", 96"	7 lbs	0.5 hr	No
<b>7722</b>	56.88" W x 8.69" H	60"	9 lbs	0.5 hr	No
<b>7723</b>	32.88" W x 8.69" H	36", 72"	5 lbs	0.5 hr	No
<b>7724</b>	20.88" W x 8.69" H	24"	4 lbs	0.5 hr	No
<b>7725</b>	44.88" W x 10.38" H	48", 96"	8 lbs	0.5 hr	Yes
<b>7727</b>	56.88" W x 10.38" H	60"	9 lbs	0.5 hr	No
<b>7728</b>	32.88" W x 10.38" H	36", 72"	6 lbs	0.5 hr	Yes
<b>7729</b>	20.88" W x 10.38" H	24"	4 lbs	0.5 hr	No
<b>7730</b>	44.88" W x 12.06" H	48", 96"	8 lbs	0.5 hr	Yes
<b>7731</b>	38.88" W x 12.06" H	84"	8 lbs	0.5 hr	No
<b>7732</b>	56.88" W x 12.06" H	60"	10 lbs	0.5 hr	No
<b>7733</b>	32.88" W x 12.06" H	36", 72"	6 lbs	0.5 hr	No
<b>7734</b>	20.88" W x 12.06" H	24"	5 lbs	0.5 hr	No
<b>7735</b>	44.88" W x 13.75" H	48", 96"	9 lbs	0.5 hr	No
<b>7737</b>	56.88" W x 13.75" H	60"	11 lbs	0.5 hr	No
<b>7738</b>	32.88" W x 13.75" H	36", 72"	7 lbs	0.5 hr	No
<b>7739</b>	20.88" W x 13.75" H	24"	5 lbs	0.5 hr	No



Shelf Block

*Closes the space behind shelving doors*

Aluminum					
		Use with shelf width			
<b>7740</b>	12" W x From 11" to 16.5", adjustable	All	3 lbs	0.5 hr	No



Shelving Doors

Steel					
		Use with shelf width			
<b>Y10-B</b>	19.88" W x 8.69" H	56"	7 lbs	0.5 hr	No
<b>Y10-C</b>	34.88" W x 8.69" H	70"	9 lbs	0.5 hr	Yes
<b>Y10-D</b>	37.88" W x 8.69" H	38"	10 lbs	0.5 hr	No
<b>Y10-F</b>	41.88" W x 8.69" H	42", 87"	12 lbs	0.5 hr	Yes
<b>Y10-H</b>	47.88" W x 8.69" H	48"	14 lbs	0.5 hr	No
<b>Y10-M</b>	31.88" W x 8.69" H	32"	8 lbs	0.5 hr	No
<b>Y11-C</b>	34.88" W x 10.38" H	70"	10 lbs	0.5 hr	Yes
<b>Y11-D</b>	37.88" W x 10.38" H	38"	11 lbs	0.5 hr	Yes
<b>Y11-E</b>	35.88" W x 10.38" H	36"	10.5 lbs	0.5 hr	No
<b>Y11-F</b>	41.88" W x 10.38" H	42", 87"	13 lbs	0.5 hr	Yes
<b>Y11-M</b>	31.88" W x 10.38" H	32"	8 lbs	0.5 hr	No
<b>Y12-C</b>	34.88" W x 12.06" H	70"	10 lbs	0.5 hr	No
<b>Y12-D</b>	37.88" W x 12.06" H	38"	12 lbs	0.5 hr	No
<b>Y12-F</b>	47.88" W x 12.06" H	42", 87"	14 lbs	0.5 hr	No
<b>Y12-M</b>	31.88" W x 12.06" H	32"	8 lbs	0.5 hr	No



Shelving Doors

Steel					
		Use with shelf width			
<b>Y10-J</b>	55.88" W x 8.69" H	56"	15 lbs	0.5 hr	No
<b>Y11-J</b>	55.88" W x 10.38" H	56"	16 lbs	0.5 hr	No
<b>Y12-J</b>	55.88" W x 12.06" H	56"	17 lbs	0.5 hr	No





## **DRAWERS**

Durable storage compartments,  
designed for quick and easy access.





### **TOUGH**

Proline drawers are backed by a 10 year warranty.



### **QUICK**

Easy to use slam latch.



### **SECURITY**

Secure keyed lock.

## **DRAWERS**

CAB BOXES . . . . . P. **48**

DRAWER CABINETS . . . . . P. **48**

PARTSKEEPERS . . . . . P. **49**

TOOL DRAWERS . . . . . P. **50**

Ranger manufactures a variety of tough, quiet drawer systems and storage modules. Using top quality components such as full-extension, high-capacity ball-bearing drawer slides, secure locks, and Ranger's unique braided stainless steel cable-pull handles. These drawers are the organizational quality that you deserve.






If you never again want to experience the frustration of drawers that jam, sag, and don't latch properly, we have the solution.



DRAWERS








**5045**  
Cab box with locking lid

Aluminum	
	18" D x 12" W x 16" H
	—
	16 lbs
	0.4 hr
	No








**5044**  
Raised base for 5045/  
W40-A cab box, Sprinter

Aluminum	
	11.5" D x 22.5" W x 9" H
	—
	2 lbs
	0.2 hr
	No








**W40-A**  
Fleetline cab box with locking lid

Steel	
	18" D x 12" W x 16" H
	—
	22 lbs
	0.4 hr
	No








**5060-6**  
6 Drawer cabinet

Aluminum	
	18" D x 24" W x 36" H
	150 lbs
	114 lbs
	1 hr
	No








**5066-8**  
8 Drawer cabinet

Aluminum	
	20.5" D x 24" W x 56" H
	150 lbs
	168 lbs
	1 hr
	No



**5069-2**  
2 Drawer cabinet

Aluminum	
	14" D x 24" W x 12" H
	150 lbs
	34 lbs
	0.5 hr
	Yes

**X50-B**

Compact 2-Drawer Unit

**Steel**

12.5" D x 18.5" W x 10.5" H

—

19 lbs

0.3 hr

Yes

**X50-C**

Compact 3-Drawer Unit

**Steel**

12.5" D x 18.5" W x 10.5" H

—

20 lbs

0.3 hr

Yes

**X51-F**

Compact 9-Drawer Unit

**Steel**

12" D x 17" W x 12" H

—

26 lbs

0.3 hr

Yes

**5070**

Partskeeper carry case with holder, universal

**Aluminum**

14" D x 17" W x 5.5" H

—

7 lbs

0.3 hr

Yes

**5086**

Partskeeper cabinet with 8 carry cases &amp; 2 shelves

**Aluminum**

14" D x 17" W x 62.5" H

—

57 lbs

1 hr

Yes

**5010**

Partslider drawer

**Aluminum**

48" D x 12" W x 6" H

150 lbs

30 lbs

0.5 hr

Yes








# DRAWERS



## 5020






Tool drawer

Aluminum	
	48" D x 14" W x 16" H
	320 lbs
	46 lbs
	1 hr
	Yes



## 5025






Jumbo tool drawer

Aluminum	
	48" D x 16" W x 19" H
	320 lbs
	61 lbs
	1 hr
	Yes



## 5048

Top edge, for 5010 Partslider

Aluminum	
	48" D x 12" W x 4" H
	—
	5 lbs
	0.2 hr
	Yes

DRAWERS



**5020** Tool drawer mounted with its complementary **5010** Partslider drawer and **5048** Top edge.



### **VERSATILE**

Removable storage bins ensure organization on the jobsite or on the go.



### **SECURE**

Trade specific accessories with a place for all tools and supplies.



### **PRODUCTIVE**

Stay productive with the most used items well within reach.

## **ACCESSORIES**

Choose the finishing details to tailor the upfit to your specific needs.

BOTTLE HOLDERS . . . . . P. **52**

HOOKS . . . . . P. **52**

OTHERS . . . . . P. **52**

PAPER HOLDERS . . . . . P. **53**

WINDOW GRILLS . . . . . P. **54**


BINS . . . . . P. **54**

The finishing details are just as important when you're setting up your commercial van as they are when you're on the job site. Customize your vehicle with our wide range of options to ensure that you can perform at peak efficiency.



**RANGER**  
DESIGN

# ACCESSORIES



## 6001

4 Tier refrigerant rack for large bottles

### Aluminum

14" D x 13" W x 62.5" H

34 lbs

0.7 hr

No



## 6003

5 Tier refrigerant rack for large bottles

### Aluminum

14" D x 13" W x 62.5" H

36 lbs

0.7 hr

Yes



## 6010

Two level adjustable bottle holder

### Aluminum

10.25" D x 9.5" W x 36" H

5 lbs

0.4 hr

No



## 6020

Horizontal refrigerant bottle holder

### Aluminum

12.5" D x 48" W x 13" H

17 lbs

0.5 hr

No



## 6041

Locking cabinet

### Aluminum

15" D x 15.5" W x 33" H

26 lbs

0.7 hr

No



## 6049

Ventilation kit for cabinet

### Aluminum

—

—

—

No



## 6086

Small aluminum bottle holder, with a black nylon strap

### Aluminum

6" W x 12" H

1 lb

0.2 hr

Yes



## 6088

Large aluminum bottle holder, with two black nylon straps

### Aluminum

8" W x 24" H

2 lbs

0.2 hr

Yes



## 6070

6" Hook, 3" opening, painted

### Steel

3" D

0.4 lb

0.2 hr

Yes



## 6072

8" Swivel Hook, 4" opening, painted

### Steel

—

0.6 lb

0.2 hr

Yes



## 6073

Large aluminum movable hook, 6.5" opening

### Aluminum

6.5" D x 2.75" W x 4" H

1 lb

0.01 hr

Yes



## Y30-C

Coat Hook, 1" opening, chrome plated

### Steel

1" D

0.1 lb

0.2 hr

Yes





## 6052

Vise Holder with an 8"x8" mounting plate

### Steel

	—
	37 lbs
	0.5 hr
	No



## 6057

Can Holder

### Aluminum

	3" D x 8.5" W x 3" H
	1 lb
	0.2 hr
	No




## 6061

Paper Holder, extra deep, 2 slots

### Aluminum

	3.75" D x 12.75" W x 12" H
	2 lbs
	0.2 hr
	No



## 6063

Paper Holder, extra deep, 5 slots

### Aluminum

	3.75" D x 12.75" W x 24" H
	5 lbs
	0.2 hr
	Yes




## Y31-A

Paper Holder, extra deep, 3 slots

### Steel

	3.75" D x 12.75" W x 16" H
	9 lbs
	0.2 hr
	Yes



## 6079

Transport tube door kit complete

### Aluminum

	6" D
	6 lbs
	0.8 hr
	No



## 7124

Reel Holder with two 5/8" diameter rods

### Aluminum

	7.25" D x 15" W x 24" H
	9 lbs
	0.5 hr
	No



## 6068

Hard Hat Holder, painted wire

### Steel

	—
	0.5 lb
	0.2 hr
	No




## 1130

Elevated strobe mount

### Aluminum

	8" W
	1 lb
	0.1 hr
	No



## 6050

Flettner vent, rotary design

### Plastic

	8.9" D
	1.5 lbs
	1 hr
	No



## 6054

Hitch Step, comes with hitch pin to fit a 2"x2" hitch

### Aluminum

	6" D x 12" W
	4 lbs
	—
	No



## 6082

Triangle kit with aluminum holder

### Other

	—
	14 lbs
	0.2 hr
	No

ACCESSORIES



**6093**  
Grab handle

Plastic	
9.5" D	
0.1 lb	
0.5 hr	
No	



**6221**  
Medium Bin, Graphite

Plastic	
10" D x 6" W x 4.5" H	
0.56 lb	
—	
Yes	



**6231**  
Large Bin, Graphite

Plastic	
14" D x 8" W x 5.5" H	
1.33 lbs	
—	
Yes	



**6107**  
Set of 2 rear window grills

Steel	
Standard / High Roof	
8 lbs	
0.2 hr	
No	



**6117**  
Window grill, passenger side sliding door

Steel	
Standard / High Roof	
8 lbs	
0.2 hr	
No	

INTRODUCING THE NEW RANGER DESIGN

# SEAT COVERS

**Our key advantages are:**

- Tight custom fit for each vehicle
- Durable material and easy maintenance
- Urethane coating to make the fabric water and stain resistant
- Machine wash and dryer safe
- Easy installation within 30 minutes for a set
- No interference with factory seat functions: heat, cold, air bag
- Minimal seams
- Guaranteed to stay in place
- Puncture resistant
- Durable fabric with a 1 year warranty

**6257**

Seat covers

4 lbs
0.3 hr
No

ACCESSORIES





**TOUGH**

Military grade aluminum extrusion, high density plastic and stainless steel components ensure no corrosion over the lifetime of the rack.



**QUIET**

Aerodynamic design with minimal wind noise.



**SAFE**

No metal contact to ladder, leading to longer life of ladders with less chance of fiberglass splinters.

# LADDER RACKS

Ergonomic Ladder Racks make loading and unloading easier.

STANDARD LADDER RACK . . . . . P. 56

CARGO RACK . . . . . P. 56

MAX RACK . . . . . P. 56

COMBINATION LADDER RACK . . . . . P. 57

DOUBLE CLAMP LADDER RACK . . . . . P. 57

ACCESSORY . . . . . P. 57

Ranger ladder racks make loading and unloading ladders an easy operation. Ranger Design offers drop-down ladder racks for high roof vans, extra tough racks capable of carrying 28' ladders on compact vans, interior ladder carriers and many other options for different applications.





# LADDER RACKS



Third bar crossbow kit for Max Rack

Aluminum

15-1805	Universal	Universal	72"	10 lbs	



Passenger Side Retrofit kit

Aluminum

15-1810	Universal	Universal	57 lbs	1 hr	



Driver Side Retrofit kit

Aluminum

15-1815	Universal	Universal	57 lbs	1 hr	



Handle Assembly for Max Rack

Aluminum

18-2507	Universal	Universal	66"		



Cargo rack

Aluminum

1505-DH	Universal	High Roof	68"	480 lbs	20 lbs	0.8 hr



Standard ladder rack

Aluminum

1510-DH	Universal	High Roof	68"	400 lbs	21 lbs	0.9 hr



Single clamp ladder rack

Aluminum

1520-DH	Universal	High Roof	68"	400 lbs	30 lbs	1.2 hrs

LADDER RACKS



Combination ladder rack

Aluminum						
1525-DH	Universal	High Roof	68"	400 lbs	48 lbs	1.7 hrs



Double clamp ladder rack

Aluminum						
1530-DH	Universal	High Roof	68"	400 lbs	49 lbs	1.7 hrs



Max Rack, Single side ladder rack

Aluminum						
1820-DH	Universal	High Roof	72"	100 lbs	82 lbs	2 hrs



Max Rack, Double side ladder rack

Aluminum						
1830-DH	Universal	High Roof	72"	200 lbs	139 lbs	3 hrs



Access Pro, Inside Ladder Carrier

Aluminum						
1050-FS	Universal	Universal	96"		9 lbs	1 hr



Ladder rack accessory

Aluminum						
1127	Universal	Universal			18 lbs	0.5 hr



## RANGER LADDER RACKS

Upgrade your ladder rack with the addition of this third or fourth bar.

15-0527 Additional bar upgrade kit



## MAX RACK


DESIGNED FOR HIGH ROOF VANS

## SAFE & EASY TO USE

### 50" OF TRAVEL

The Max Rack drops lower in one movement than any other rack in the industry.

- Max Rack
- Competitor's rack



- › Two pressurized gas shocks support the weight of the ladder, assist in lifting and lowering the ladder and also hold it in the closed position.
- › Max Rack is adjustable to fit most ladders.

### LOW PROFILE

There is less chances of the Max Rack hitting low hanging objects.



- › Ladders only touch composite materials, reducing ladder wear.
- › Comes down in one single motion.

### EXTREME WEATHER PROOF

The Max Rack was put through extreme weather testing.




### CYCLE TESTING

The Max Rack completed over 4300 cycles, which represents approximately 15 years of normal use.




# MAX RACK IS FAST AND EASY TO OPERATE



1

## STEP ONE


With both hands, insert the control arm into the Max Rack.



2

## STEP TWO


Pull the control arm down towards you.



3

## STEP THREE

Turn around. Push the control arm forward.



4

## STEP FOUR

Continue to push the control arm until the Max Rack has finished its descent.

## RACK CAPACITY



STEP LADDERS  
**8' AND 10'**

Fits all Max Racks



The Max Rack can carry extension ladders up to 32' for the standard and high roof vans, with a third bar option #15-1805.

The weight capacity per single Max Rack is 100lbs.

# Over 350 Distributors Across the Continent

## Regular Order

### How to Order

Contact one of our 300 distributors  
[rangerdesign.com/find-dealer](http://rangerdesign.com/find-dealer).

### Lead Time

Orders ship from our factory within  
5 business days.

## Quickship Order

Ranger Quickship service is available  
through your local distributor.

Orders placed with Ranger before 1PM EST will  
ship from our factory in the next business day.



Throughout the catalog products and packages with this symbol  
can be ordered through our Quickship service.

# Turn-Key Fleet Services



## Ship Through or Local Installation Across North America for all Types of Cargo Vans

We are pleased to offer efficient, personalized service and to answer all questions regarding:

### 1. Analysis

- › Cargo Needs Analysis
- › Custom 3D CAD Layouts
- › Hands-on Equipment Demo

### 2. Testing

- › Test Fitting
- › Pilot Build and Review
- › Optimize Package Based on Technician Feedback

### 3. Delivery

- › Delivery, Production and Installation Planning and Scheduling
- › Vehicle Status Tracking

### 4. Service

- › Dedicated Fleet Account Management Team
- › 300 Ranger Dealers Service Support Network
- › Live Customer Service

# INDEX

1050-FS.....	57	5069-2.....	48	7732.....	45	F70-T.....	41
1127.....	57	5070.....	49	7733.....	45	F70-X.....	43
1130.....	53	5086.....	49	7734.....	45	F87-T.....	41
15-1805.....	56	5748.....	36	7735.....	45	F87-X.....	43
15-1810.....	56	5760.....	36	7737.....	45	G210.....	18
15-1815.....	56	6001.....	52	7738.....	45	G211.....	21
1505-DH.....	56	6003.....	52	7739.....	45	G212.....	23
1510-DH.....	56	6010.....	52	7740.....	45	G215.....	33
1520-DH.....	56	6020.....	52	7936.....	36	G216.....	25
1525-DH.....	57	6041.....	52	7948.....	36	G217.....	27
1530-DH.....	57	6049.....	52	7960.....	36	G219.....	31
18-2507.....	56	6050.....	53	8436-2.....	41	G710.....	18
1820-DH.....	57	6052.....	53	8448-2.....	41	G711.....	21
1830-DH.....	57	6054.....	53	8448-3.....	42	G712.....	23
3010-DH.....	13	6057.....	53	8458-2.....	41	G715.....	33
3010-DL.....	13	6061.....	53	8458-3.....	42	G716.....	25
3015-DH.....	15	6063.....	53	8472-2.....	41	G717.....	27
3020-DH.....	13	6068.....	53	8472-3.....	42	G719.....	31
3020-DL.....	13	6070.....	52	8748.....	37	H38-T.....	31
3025-DH.....	13	6072.....	52	8760.....	37	H38-X.....	42
3060-DH.....	14	6073.....	52	8848-5.....	38	H42-T.....	40
3060-DL.....	14	6079.....	53	8848-6.....	38	H42-X.....	42
3064-DH.....	14	6082.....	53	8860-5.....	38	H56-T.....	40
3064-DL.....	14	6086.....	52	8860-6.....	38	H56-X.....	42
3068-DH.....	14	6088.....	52	8872-5.....	38	H70-T.....	40
3068-DL.....	14	6093.....	54	8872-6.....	40	H70-X.....	42
3069-DH.....	15	6107.....	54	8884-5.....	38	H87-T.....	40
3069-DL.....	15	6117.....	54	8884-6.....	40	H87-X.....	42
4136-4.....	37	6221.....	54	8896-5.....	38	L38-T.....	40
4136-5.....	37	6231.....	54	8896-6.....	40	L38-X.....	42
4148-4.....	37	6257.....	54	8936-7.....	36	L42-T.....	40
4148-5.....	37	7108.....	43	8936-8.....	36	L42-X.....	42
4160-4.....	37	7111.....	44	8948-7.....	36	L56-T.....	40
4160-5.....	37	7124.....	53	8948-8.....	36	L56-X.....	42
4172-4.....	37	7208.....	44	8960-7.....	36	L70-T.....	40
4172-5.....	38	7209.....	44	8960-8.....	36	L70-X.....	42
4184-4.....	37	7210.....	44	C20-DH.....	12	L87-T.....	41
4184-5.....	38	7211.....	44	C20-DL.....	12	L87-X.....	43
4196-4.....	37	7720.....	45	C24-DH.....	12	W40-A.....	48
4196-5.....	38	7722.....	45	C24-DL.....	12	X50-B.....	45
5010.....	49	7723.....	45	C30-DH.....	12	X50-C.....	45
5020.....	50	7724.....	45	C30-DL.....	12	X51-F.....	45
5025.....	50	7725.....	45	F38-T.....	41	Y10-B.....	45
5044.....	48	7727.....	45	F38-X.....	43	Y10-C.....	45
5045.....	48	7728.....	45	F42-T.....	41	Y10-D.....	45
5048.....	50	7729.....	45	F42-X.....	43	Y10-F.....	45
5060-6.....	48	7730.....	45	F56-T.....	41	Y10-H.....	45
5066-8.....	48	7731.....	45	F56-X.....	43	Y10-J.....	45



Y10-M . . . . .	45	Y11-M. . . . .	45	Y30-C . . . . .	52	Z10-G7. . . . .	19
Y11-C. . . . .	45	Y12-C. . . . .	45	Y31-A . . . . .	53	Z16-G2. . . . .	29
Y11-D . . . . .	45	Y12-D. . . . .	45	X50-B. . . . .	49	Z16-G7. . . . .	29
Y11-E . . . . .	45	Y12-F . . . . .	45	X50-C . . . . .	49		
Y11-F . . . . .	45	Y12-J . . . . .	45	X51-F . . . . .	49		
Y11-J . . . . .	45	Y12-M. . . . .	45	Z10-G2. . . . .	19		



**NEED HELP WITH YOUR ORDER**  
Contact us at [cs@rangerdesign.com](mailto:cs@rangerdesign.com)  
or call **1-800-565-5321**  
**Ask us for our other Mercedes-Benz  
product related catalogs.**

# Maximize Cargo Capacity & Vehicle Performance With Contractor Grade, Organized Storage Systems

When you want the perfect upfit solution for your work vehicle, turn to Ranger Design. Crash-tested for toughness, Ranger's shelving and upfits will take whatever abuse you can dish out. Their unsurpassed craftsmanship, combined with ideal fit and finish, provide a quiet ride with no rattles.



## CUSTOMER SERVICE

[cs@rangerdesign.com](mailto:cs@rangerdesign.com)

1-800-565-5321

[www.rangerdesign.com](http://www.rangerdesign.com)



**THE PERFECT FIT**  
FOR YOUR TOUGHEST JOBS